Cypht

Cypht is a webmail client which was added to Tiki Wiki CMS Groupware version 20.x, and continued to improve in successive versions of Tiki, now at Tiki 29.x.

Cypht can be used with any standard mail server. In the context of WikiSuite, Virtualmin provides standard email accounts.


Here is the source code: https://github.com/cypht-org/cypht


Cypht is available as a standalone webmail client, and within Tiki, it gets additional features like calendaring (ex.: CalDAV). And over time, it will become feature-rich, as is the nature of Tiki's community and development model: Tiki is the Free / Libre / Open Source (FLOSS) Web application with the most built-in features. Please see https://dev.tiki.org/Email-as-a-first-class-citizen


Cypht has what you'd expect from a webmail client, and some very interesting features like aggregating email from multiple accounts.
Cypht also expands modern protocol support, including JMAP and EWS, enhancing interoperability with a wider range of mail systems.


Cypht is released under the GNU LGPL v2.1 license.


Here is how Cypht is different: Webmail and groupware comparison




Webmail
Preferences
My Info
More
Main
Search
Compose
Contacts
Everything
Flagged
History
Sent
Unread 0
Email
All
Fastmail user
Settings
[reload]
Compose
To
Subject
"Default" cypht_user@fastmail.com Fastmail user
Send
Sign
Attach
Reset
Save


Webmail
Preferences
My Info
More
Main
Email
All
Fastmail user
Gmail user
Yahoo user
Settings
[reload]
Everything ▸ IMAP ▸ Fastmail user ▸ INBOX ▸ Page 1
Enable security, and other features
Date Thu, 19 Mar 2020 09:14:44 -0400
From The Fastmail Team <support@fastmail.com>
To Cypht test <cypht_user@fastmail.com>
Tags Seen, $X-ME-Annot-2, $IsTrusted
ALL HEADERS | REPLY | REPLY-ALL | FORWARD | RAW | FLAG | DELETE | COPY | MOVE | ARCHIVE
Protect your account
When using internet services, you deserve more choices and control.
To get the best experience, we strongly encourage you to set up these account protections:
Two-factor verification (2FA) increases your security. Use it with an authenticator app, security device (U2F, Yubikey, or OTP), or get a code sent to your phone. Set up 2FA.
Aliases, alternate email addresses, give you control over who knows the real you. Use it to secure your account by making it harder to match a compromised password with your true email. Create aliases.


Webmail
Preferences
My Info
More
Main
Search
Compose
Contacts
Everything
Flagged
History
Sent
Unread 0
Email
Settings
[reload]
Home
Welcome to Cypht
Add a popular E-mail source quickly and easily
Add an E-mail Account
You have 1 IMAP source Manage
You don't have any POP3 sources Add
You have 1 SMTP source Manage
RSS/ATOM services are not enabled for this site. Sorry about that!
Your timezone is set to Europe/Paris Update
Help
Cypht is a webmail program. You can use it to access your E-mail accounts from any service that offers IMAP, POP3, or SMTP access - which most do.


Webmail
Preferences
My Info
More
Main
Search
Compose
Contacts
Everything
Flagged
History
Sent
Unread 2
Email
Settings
Home
Servers
Site
Profiles
Folders
[reload]
Site Settings
General
Enable keyboard shortcuts
Show messages inline
Inline Message Style
Right
Outbound mail format
Plain text
Always BCC sending address
Language
English
Theme
White Bread (Default)
Timezone
Europe/Paris
Hide folder list icons
Allow handling of mailto links
Show icons in message lists

Key Features

- Combined inbox, unread, sent, and flagged message views for all your E-mail accounts (and RSS feeds), as well as standard E-mail client folder navigation
- Flexible profiles to combined IMAP accounts with SMTP accounts and setup signatures and reply to details
- Compose messages in plain text, HTML, or Markdown (markdown formatted messages are converted to HTML before being sent)
- Search all your E-mail accounts and RSS feeds at once with a simple form
- Simple interface translation system that does not use gettext or .po files, just arrays of translated strings defined in PHP. Right to left languages are supported.
- Module sets for IMAP, SMTP, LDAP or local contacts, WordPress, Github, and lots more! Check out the Modules page for a complete list.
- Sessions and user data can be stored in any PDO compatible database or flat files on the server
- Authentication is flexible and currently supports IMAP, LDAP, an included database schema, dynamic authentication using popular E-mail providers, auto-discovery based on the user's E-mail domain, or you can roll your own with the site module set
- Sessions and Authentication can be customized without breaking any modules using the site module set

- https://dev.tiki.org/Cypht-integration
- https://doc.tiki.org/Tiki20#Webmail
- https://cypht.org/
- https://www.linkedin.com/groups/13804559/
- Why Cyrus IMAP and Cypht
- https://unencumberedbyfacts.com/2016/08/26/5-cool-cypht-webmail-features/
- https://opensource.com/article/19/1/productivity-tool-cypht-email
- Cypht has started adding support for JMAP: https://unencumberedbyfacts.com/2019/01/24/jmap-its-like-imap-but-not-really/