

WikiSuite: The most comprehensive and integrated Open Source enterprise solution.

# Cypht

Cypht is a webmail client which was added to [Tiki Wiki CMS Groupware](#) version 20.x, and continued to improve in successive versions of Tiki, now at [Tiki 26.x](#).

Cypht can be used with any standard mail server. In the context of WikiSuite, [Virtualmin](#) provides standard email accounts.

Here is the source code: <https://github.com/cypht-org/cypht>


Cypht is available as a standalone webmail client, and within Tiki, it gets additional features like calendaring (ex.: CalDAV). And over time, it will become feature-rich, as is the nature of Tiki's community and development model: [Tiki is the Free / Libre / Open Source \(FLOSS\) Web application with the most built-in features](#). Please see <https://dev.tiki.org/Email-as-a-first-class-citizen>

Cypht has what you'd expect from a webmail client, and some very interesting features like [aggregating email from multiple accounts](#).

Here is how Cypht is different: [Webmail and groupware comparison](#)

## Webmail

 Preferences  My Info [More](#) ▾



The screenshot displays the Cypht webmail interface. On the left is a sidebar with navigation options: 'Main', 'Email', and 'Settings'. Under 'Email', there are links for 'All', 'Fastmail user', 'Gmail user', 'INBOX' (with a '4' badge), '+ [Gmail]', 'Manage Folders', and 'Yahoo user'. The main content area shows a list of emails under the 'All Email' filter. The list includes three 'Alerte de sécurité critique' messages from Google, two messages from 'The Fastmail ...' about security and domain settings, and a 'Welcome to so much more.' message from Yahoo. Each email entry shows the sender, subject, and time since arrival.

Sender	Subject	Time
Gmail user	Alerte de sécurité critique	51 minutes, 5...
Gmail user	Alerte de sécurité critique	54 minutes, 8 ...
Gmail user	Alerte de sécurité	55 minutes, 5...
Fastmail us...	Enable security, and other features	2 hours, 52 mi...
Fastmail us...	Choose your address with a personal domain	2 hours, 53 mi...
Fastmail us...	Import your mailbox and calendars	2 hours, 53 mi...
Yahoo user	Welcome to so much more.	3 hours, 7 min...

# Webmail

Preferences My Info More

Main

Search

- Compose
- Contacts
- Everything
- Flagged
- History
- Sent
- Unread 0

Email

- All
- Fastmail user

Settings

[reload]

Compose

To

Subject

"Default" cypht\_user@fastmail.com Fastmail user

Send Sign Attach Reset Save

# Webmail

Preferences My Info More

Main

Email

- All
- Fastmail user
- Gmail user
- Yahoo user

Settings

[reload]

Everything > IMAP > Fastmail user > INBOX > Page 1

Enable security, and other features

Date Thu, 19 Mar 2020 09:14:44 -0400

From The Fastmail Team <support@fastmail.com>

To Cypht test <cypht\_user@fastmail.com>

Tags Seen, \$X-ME-Annot-2, \$IsTrusted

ALL HEADERS | REPLY | REPLY-ALL | FORWARD | RAW | FLAG | DELETE | COPY | MOVE | ARCHIVE

## Protect your account

When using internet services, you deserve more choices and control.








To get the best experience, we strongly encourage you to set up these account protections:

- Two-factor verification (2FA) increases your security. Use it with an authenticator app, security device (U2F, Yubikey, or OTP), or get a code sent to your phone. [Set up 2FA.](#)
- Aliases, alternate email addresses, give you control over who knows the real you. Use it to secure your account by making it harder to match a compromised password with your true email. [Create aliases.](#)

# Webmail


[Preferences](#) [My Info](#) [More](#) 

### Main

-  Compose
-  Contacts
-  Everything
-  Flagged
-  History
-  Sent
-  Unread **0**

### Email

### Settings

 [\[reload\]](#)

### Home

#### Welcome to Cypht

Add a popular E-mail source quickly and easily

[Add an E-mail Account](#)

- You have 1 IMAP source [Manage](#)
- You don't have any POP3 sources [Add](#)
- You have 1 SMTP source [Manage](#)
- RSS/ATOM services are not enabled for this site. Sorry about that!

Your timezone is set to Europe/Paris [Update](#)








#### Help

Cypht is a webmail program. You can use it to access your E-mail accounts from any service that offers IMAP, POP3, or SMTP access - which most do.

# Webmail






[Preferences](#) [My Info](#) [More](#) 


### Main

-  Compose
-  Contacts
-  Everything
-  Flagged
-  History
-  Sent
-  Unread **2**

### Email

### Settings

-  Home
-  Servers
-  Site
-  Profiles
-  Folders

 [\[reload\]](#)

### Site Settings

#### General

Enable keyboard shortcuts	<input type="checkbox"/>
Show messages inline	<input type="checkbox"/>
Inline Message Style	<input type="text" value="Right"/>
Outbound mail format	<input type="text" value="Plain text"/>
Always BCC sending address	<input type="checkbox"/>
Language	<input type="text" value="English"/>
Theme	<input type="text" value="White Bread (Default)"/>
Timezone	<input type="text" value="Europe/Paris"/>
Hide folder list icons	<input type="checkbox"/>
Allow handling of mailto links	<input type="checkbox"/>
Show icons in message lists	<input type="checkbox"/>

# Key Features

- Combined inbox, unread, sent, and flagged message views for all your E-mail accounts (and RSS feeds), as well as standard E-mail client folder navigation
- Flexible profiles to combined IMAP accounts with SMTP accounts and setup signatures and reply to details
- Compose messages in plain text, HTML, or Markdown (markdown formatted messages are converted to HTML before being sent)
- Search all your E-mail accounts and RSS feeds at once with a simple form
- Simple interface translation system that does not use gettext or .po files, just arrays of translated strings defined in PHP. Right to left languages are supported.
- Module sets for IMAP, SMTP, LDAP or local contacts, WordPress, Github, and lots more! Check out the [Modules page](#) for a complete list.
- Sessions and user data can be stored in any PDO compatible database or flat files on the server
- Authentication is flexible and currently supports IMAP, LDAP, an included database

schema, dynamic authentication using popular E-mail providers, auto-discovery based on the user's E-mail domain, or you can roll your own with the site module set

- Sessions and Authentication can be customized without breaking any modules using the site module set

- <https://dev.tiki.org/Cypht-integration>
- <https://doc.tiki.org/Tiki20#Webmail>
- <https://cypht.org/>
- <https://www.linkedin.com/groups/13804559/>
- [Why Cyrus IMAP and Cypht](#)
- <https://unencumberedbyfacts.com/2016/08/26/5-cool-cypht-webmail-features/>
- <https://opensource.com/article/19/1/productivity-tool-cypht-email>
- Cypht has started adding support for JMAP:  
<https://unencumberedbyfacts.com/2019/01/24/jmap-its-like-imap-but-not-really/>