

Cyrus IMAP 3 and JMAP development

Please see: [blogpost16-WikiSuite-will-now-support-all-major-Linux-distros](#). While [ClearOS](#)'s mail stack is powered by [Cyrus IMAP](#), [Virtualmin](#)'s mail stack is with Dovecot, so we will focus on efforts there. This page is kept for posterity.

WikiSuite will add support for [JMAP](#) via a combination of contributions to [Cyrus](#), [Cypht](#) and the [IETF standardization process](#).

[Cyrus 3.2](#) with [JMAP](#) support is planned for March 2020.

On July 14 and 15, 2018, WikiSuite team members were at the [July 2018 JMAP IETF Hackathon in Montréal](#), which was a follow-up to the March 17 and 18, 2018 event, where WikiSuite team members joined [Fastmail](#) at the [IETF 101 Hackathon](#) to work on JMAP. -> [2018 XMPP, WebRTC and JMAP Hackathons in London](#)

As of 2019, the reference implementation is on ClearOS, but the future production implementation will be using containers.

ClearOS's 7.x's mail server is Cyrus IMAP 2.x This page is to coordinate testing of upcoming Cyrus IMAP 3.x, which brings new features such as [CalDAV](#), [CardDAV](#) and [JMAP support](#).

Status

A lot of work is happening on the [JMAP](#) spec and associated code. We'll update [cyrus.suite.wiki](#) in ~~November or December 2017~~ [January February 2018](#) before the event to the latest developer snapshot.

Keep informed of JMAP-related work on Cyrus

- [issues related to JMAP on Github](#)
- Weekly updates on the [Cyrus-devel Mailing list](#)

Code

- <https://github.com/cyrusimap/cyrus-imapd> (Cyrus)
- <https://gitlab.com/clearos/upstream/centos/cyrus-imapd/tree/clear7> (Cyrus 2.x app for ClearOS)
- <https://gitlab.com/clearos/clearfoundation/app-smtp> (Postfix app for ClearOS)

Commits

JMAP spec

Recent Commits to jmap:master

- [Email delivery spec now adopted by WG](#)
- [Oauth: update based on feedback](#)
- [Add mjmap](#)
- [Remove dovecot from planned list](#)
- [Add Parula to client](#)
- [Add ietf to oauth draft name](#)
- [Remove obsolete oauth spec src](#)
- [oauth: Add xml src](#)
- [Add RFC9610 JMAP Contacts XML](#)
- [Add keywords spec](#)

Recent Commits to cyrus-imapd:master

- [Merge pull request #5386 from brong/rsync-mkdir](#)
- [Merge pull request #5406 from wolfsage/jmap-contact-fix-street](#)
- [jmap_contact.c: Don't stomp on street property with group name](#)
- [util: don't fsync intermediate directories from cyrus_mkdir](#)
- [mailbox: use cyrus_settime_fdptr to update timestamps](#)
- [util: add cyrus_settime_fdptr API](#)
- [Merge pull request #5382 from elliefm/v313/cyr-1429-format-nonliteral](#)
- [cunit: explicit null-safety in CU_ASSERT_STRING_EQUAL](#)
- [cunit: CU_assertFormatImplementation is a printf formatter](#)
- [httpd: ignore format-nonliteral for comma_list_body](#)

What is new in Cyrus 3.x

- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.0.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.1.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.2.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.3.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.4.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.5.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.6.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.7.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.8.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.9.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.10.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.11.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.12.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.13.html>

cyrus.suite.wiki

cyrus.suite.wiki is a shared development and testing server. Once the testing period is over, the server will be deleted so don't store any real data on this server. If you would like server access, please contact Marc Laporte

Urls

You can replace **test** with your login and follow the pattern below

User management

<https://cyrus.suite.wiki:81/app/users> (you need root access). And users need to login via IMAP for their account to be properly set up.

CalDAV

<https://cyrus.suite.wiki/dav/calendars/user/test>

CardDAV

<https://cyrus.suite.wiki/dav/addressbooks/user/test/>

RSS

<https://cyrus.suite.wiki/rss/user/test>

IMAP and SMTP

IMAP

port 143
server: cyrus.suite.wiki
username: login (not full email)

SMTP

port: 25?
server: cyrus.suite.wiki
username: login (not full email)
not working for me

IMAPS

SSL
port 993
server: cyrus.suite.wiki
username: login (not full email)
not working for me

SMTPS

SSL
port: 587
server: cyrus.suite.wiki
username: login (not full email)
not working for me

JMAP webmail

Test URLs, automatically logged in, as a different user:

- <http://cyrus.suite.wiki:8080/> (test inbox provided by upstream)
- <http://cyrus.suite.wiki:8080/user-nikola.html>
- <http://cyrus.suite.wiki:8080/user-test.html>

Old non-working attempt

[+]

Confirmation that JMAP is working



```
[root@cyrus ~]# curl -X POST -H "Content-Type: application/json" -H "Accept: application/json"
--user test:wikisuite -d '[[{"getCalendars", {}, "#1"}]]' http://localhost/jmap/
[{"calendars",{"accountId":"test","state":"15","list":[{"id":"Default","x-
href":"/dav/calendars/user/test/Default","name":"personal","mayReadFreeBusy":true,"mayReadItem
s":true,"mayAddItems":true,"mayModifyItems":true,"mayRemoveItems":true,"mayRename":true,"mayDe
lete":true}],"notFound":null},"#1"]]}
[root@cyrus ~]#
```



```
[root@cyrus ~]# curl -X POST -H "Content-Type: application/json" -H "Accept: application/json"
--user test:wikisuite -d '[[{"getMailboxes", {}, "#0"}]]' http://localhost/jmap/
[{"mailboxes",{"accountId":"test","state":"23","notFound":null,"list":[{"id":"23b8b283-54b2-49
53-83b1-
dddfdf50d1ab","name":"Inbox","mustBeOnlyMailbox":false,"mayReadItems":true,"mayAddItems":true,
"mayRemoveItems":true,"mayCreateChild":true,"totalMessages":1,"unreadMessages":0,"totalThreads
":1,"unreadThreads":0,"parentId":null,"mayRename":false,"mayDelete":false,"role":"inbox","sort
Order":1},{id":"5e8d9e35-76a6-4a54-9bb4-
e8625f908670","name":"Drafts","mustBeOnlyMailbox":false,"mayReadItems":true,"mayAddItems":true
,"mayRemoveItems":true,"mayCreateChild":true,"totalMessages":1,"unreadMessages":1,"totalThre
ads":1,"unreadThreads":0,"parentId":null,"mayRename":true,"mayDelete":true,"role":null,"sortO
rder":10},{id":"3334d6fb-
f621-4b7b-9634-93eb193023d2","name":"Trash","mustBeOnlyMailbox":false,"mayReadItems":true,"may
AddItems":true,"mayRemoveItems":true,"mayCreateChild":true,"totalMessages":0,"unreadMessages":
0,"totalThreads":0,"unreadThreads":0,"parentId":null,"mayRename":true,"mayDelete":true,"role":
null,"sortOrder":10}]},"#0"]]}
[root@cyrus ~]#
```

Notes for future documentation page

How to install

1. Set up MX records
2. install the eGloo release package: `rpm -Uvh`
http://mirrors.egloo.ca/egloo/clearos/7.3/stable/x86_64/egloo-release-7-2.noarch.rpm
 - This will be simpler in the future
3. Then install the IMAP and SMTP apps:



```
yum --enablerepo=egloo-clearos-devel install app-imap app-smtp
```

4. You will also need to do the following:
 - Create the default SSL certificate via the “System - Settings - Certificate Manager” app.
 - Create a user with IMAP and SMTP enabled.
 - Login via an IMAP client in order to create a mailbox for the user.

Optional: How to install Mail Forwarding on ClearOS

How to use

- The extra features (CalDAV, CardDAV and JMAP) run on port 80 and/or 443, so Cyrus IMAP interferes with web server. On this dev server, we use port 8080 for the JMAP client
- See URLs patterns above

Clients tested

DAVdroid

Automatic detection from email doesn't work but entering username, password and base URL works

Questions

- Is it possible to have a logout feature? (which would make it easier to test with different accounts)

Known bugs / limitations

Accounts created in ClearOS are not reliably setup for CalDAV and CardDAV.

Solution: login to the account via IMAP.

For developers

- <https://github.com/cyrusimap/cyrus-imapd/blob/master/docsrc/imap/developer/jmap.rst>
- <https://www.cyrusimap.org/imap/developer/jmap.html>
- <https://medium.com/linagora-engineering/you-cant-do-imap-in-the-browser-can-you-208838b0ba17>
- <http://jmap.io/server.html>
- [Cyrus release process - switching to odd-even release cycle](#): "3.1.x releases will only ever be snapshots of the master branch, and should be considered for testing purposes and bleeding-edge features only. We will try to release these snapshots at coherent development points, but there will generally be large breaking changes occurring between releases in this series. At some point in the distant future, the next stable release series will be 3.2, which will aim to include the stabilised versions of the features developed/tested in the 3.1 releases."
- <https://github.com/r00tat/cyrup>