WikiSuite: The most comprehensive and integrated Open Source enterprise solution.

Fastpath

The Fastpath for Openfire plugin adds support for managed queued chat requests, such as a support team might use. For example, a web-based "Live Support" interface can point a potential customer at a workgroup representing the Sales team. Members of that workgroup will receive notification that someone is waiting and, when someone from that workgroup accepts, the customer and the team member will be connected to communicate with each other.

Sales / support agents should use Pàdé.

Fastpath

See in action: Fastpath

Fastpath Quick Start Guide

Getting Started Fastpath Overview Terminology Using Fastpath for the First Time Configuring Fastpath Create Users Create Workgroups and Workgroup Queues Deploying the Webchat Client

Getting Started

This guide is designed to get you up and running quickly with Fastpath. Starting with an overview, you'll see how the parts of the system work together, and then, using the default installation, use the demo account and workgroup to test the system and see that it works correctly.

Fastpath is included as part of Openfire Enterprise. Installing the Openfire Enterprise and webchat plugins will give you the features described in this guide. For more information on these plugins, see the <u>Openfire</u> plugins list at ignite realtime.

Note: The screen shots and components shown in this guide are for illustration purposes and may differ somewhat from your implementation.

Fastpath Overview

Fastpath provides queuing and routing for instant messaging to intelligently link people together. It can be used to provide customer support or sales chat on a website or to link departments together inside an organization.

Fastpath is built on the Openfire and Spark platforms. Before configuring Fastpath, you need to understand how its components work together.

Fastpath System Components



Deploying the Webchat Client

To make the chat service work on your website, you need to deploy the Webchat client application to your application server (the server must have Servlet 2.3 or greater support). You'll find installation instructions in the webchat readme file.

How the chat process works (using the Webchat client)



Terminology

admin console: The web-based administration tool used to manage Fastpath.

administrator: The person who will use the Admin Console to configure and manage Fastpath.

Enterprise plugin: The Openfire plugin that enables Fastpath functionality on the server side. It executes routing rules and stores chat transcripts.

chat session: A text-based conversation between a Fastpath workgroup member and another user (that requests the chat session).

queue: Each workgroup can contain multiple queues, which are used to route chat requests to the most appropriate workgroup members based on routing rules.

request offer: An incoming chat request offered to an agent. The agent can accept the offer, decline it, or wait until it times out and is routed elsewhere.

Spark: An instant messaging client. Fastpath chat is used by workgroup members to answer incoming chat requests. It can also be used to request workgroup chats as an alternative to the Webchat client.

user: A person who has been added to the Openfire system and assigned a password. Users can be added to workgroups to become workgroup members.

Webchat client: A client for communicating with a Fastpath workgroup through a web browser. Or, the Spark IM client can be used to chat with a workgroup.

workgroup: A cluster of request queues and associated members. Workgroups are usually defined by a particular set of business responsibilities (such as "Sales" or "IT Helpdesk"). For example, a workgroup could be devoted to answering customer inquiries about a particular product the company sells.

workgroup member: Any user that's a member of a workgroup and that accepts chat requests for the workgroup.

Openfire: Open Source IM server. The Fastpath server plugin is installed into an existing Openfire instance.

Admin Console Overview

The Fastpath extensions to the Openfire Admin Console allow you to set up, configure, and administer the Fastpath application and its users. With the console you can:

- Create workgroups and configure workgroup members
- · Monitor chat sessions and queue activity
- · View server, workgroup, and queue statistics

The administrative tasks described in this guide assume you have access to the admin console.

openfire Admini	stration Console		_
Server Users/Gr	oups Sessions Group Chat Plugir	ns Enterprise Fastpath	Logout [admin]
Workgroups Manager View Workgroups Manage Settings Create Workgroup Workgroup Settings	Workgroup Settings For op Below are the general settings for th Workgroup Details	enfiresupport@com	
Canned Responses Room Monitors	Current Status	Workgroup is currently active and accepting requests. Close	support workgroup.
Offline Settings	s Display Name openfiresupport Description		
Transcripts Form UI Form Variables Images Text	Description	Openfire Support	
Settings	Chat Request Settings		
Reports View Previous Chats View Chat Usage	Max Sessions Specify the maximum number of chats for a workgroup member.	4	
	Min Sessions Specify the minimum number of chats for a workgroup member.	1	
	Request timeout Total time a user will be in a queue before timing out.	240 seconds	
	Offer Timeout Amount of time each member has to answer an incoming request.	20 seconds	
	Web authentication If checked, requires user to have a valid Openfire account.		
	Update Workgroup		

Using Fastpath for the First Time

When you use Fastpath for the first time, you'll use the demo workgroup and the demo workgroup member account to begin setting up your system and to see how the Fastpath components work together.

In the default installation, the Fastpath server plugin along with the Webchat Client application plugin are installed on the Openfire Server. Later you can install the Webchat applications to your own application server to fit the needs of your deployment.

Install Fastpath

To set up and test your Fastpath installation

- Workgroup members use the Spark IM client to accept incoming chat requests and conduct chat sessions. For the purpose of setup and testing, install the latest release of Spark on one workgroup member computer for now. Download the latest release of Spark from jivesoftware.com/products/ spark. Or, if you're using Spark Manager, download Spark from your local Spark Manager server. Run the Spark installer.
- 2. Ensure that the Openfire IM server and Fastpath server plugin is installed as described in the installation guide. Log in to the Openfire Admin Console using the admin credentials. If you did not change the default password, use the default:
 - username: admin
 - · password: admin

3. In the Admin Console, click the Fastpath tab. The Workgroup Summary screen displays, showing a summary of all workgroups currently in the system. Verify that the demo workgroup exists.

Note: The demo workgroup is set up automatically during installation. You can delete the demo workgroup when it's no longer needed.

Run a Test Chat Session

By running a test chat session, you'll see how the Webchat Client and the Spark IM client work during a basic chat session. You'll use the demo workgroup that came with the installation for this test. Later, once you know how to set up your own workgroups, you can delete the demo workgroup if you'd like.

To run a test chat session

- 1. After you install Spark, start the application and log in using the demo credentials and the name of your server.
 - Username: demo
 - Password: demo

$\bigcirc \bigcirc \bigcirc \bigcirc$	Spark
	Spark INSTANT MESSENGER
Username	demo
Password	••••
Server	example.com
	Save Password
	Auto Login
Account	s Advanced Login

When you log in, Spark automatically logs you in to the demo workgroup.

2. Navigate to the Webchat webpage: in the Admin Console, click the Fastpath tab and then, in the sidebar pane under Tools, click Webchat to go to the host page and click the live help link for the demo workgroup.

3. In the Live Chat window, fill in the required fields and then click the Start Chat button.

$\bigcirc \bigcirc \bigcirc \bigcirc$	http://127.0.0.1:9090 - Informatio	on O
LIVE C	НАТ	
Start a Live (Chat	
Enter your na	me and all required information.	
Name: •	steve	
Email Address	steve@example.com	
Question: •	Hey, is this thing on?	
	Start Chat	
		nowered by live Software
Done		owered by sive software

4. Click Accept in the chat request message that Fastpath displays.

🌀 Incoming Chat Rec	quest From steve					
Name:	steve					
Email Address:	steve@example.com					
Question:	Hey, is this thing on?					
14	Seconds					
View more information	🥝 Accept 💥 Reject					

5. In the Fastpath chat window that opens, type a response to yourself.



6. Switch back to the Live Chat window to see that your response went through.

00	http://127.0.0.1:9090 - Ch	nat 🔿
LIVE C	HAT	× End
You are now o demo2: Yep!	chatting with demo2 Can you hear me now?	
Yes!		Send
Done		powered by Jive Software

7. Close the chat session in both the Fastpath chat window and the Live Chat window.



Configuring Fastpath

Now that you've installed the Spark and tested the system, you can configure your installation.

You configure Fastpath by:

- 1. Creating users for your Fastpath system.
- 2. Creating workgroups and workgroup queues.
- 3. Adding workgroup members and groups to workgroup queues.

To get started, you can use most of Fastpath's default server and other settings.

Create Users

After verifying your Fastpath installation, you'll need to add users to the Fastpath system.

Users vs. Workgroup Members. Fastpath makes a distinction between users and workgroup members. Users are general system users who might or might not belong to a workgroup. All workgroup members, however, are users.

To create a new user

1. In the Admin Console, click the Users/Groups tab; in the sidebar, under Users, click Create New User.

openfire Ad	ministration Console					
Server User	s/Groups Sessions	Group Chat	Plugins	Enterprise	Fastpath	Logout [admin]
Users User Summary Create New User User Search Groups Group Summary Create New Group	Create User Use the form b Create New Username: • Name: Email: Password: • Confirm Pass Create Use	elow to create	a new use e @exampl f & Create /	e.com	Cancel	

2. In the Create User screen, complete the fields. Required fields have an asterisk to the right of their names. When you're finished, click the Create User button.

Create Workgroups and Workgroup Queues

Help. For more information on setting up routing rules for workgroups, refer to the Admin Console online Help.

In Fastpath, you use workgroups to organize a set of members to handle chat requests. Workgroups are usually organized by function or specialty. Each workgroup contains one or more queues; the Fastpath server routes chat requests to workgroup queues based on routing rules you set up for each queue.

The following example shows chat request routing for a company that sells sports equipment. The company has divided its support agents into workgroups based on the roles of sales and support, and queues within each workgroup based on the sport.

Chat Request Routing



Create a Workgroup and Add Initial Users

When you create a workgroup, you give it a name, description, and its initial members. New workgroups also come with a default queue. You can add more queues at any time.

To create a workgroup: In the Admin Console, click the Fastpath tab, and then, in the sidebar pane under Workgroups Manager, click Create Workgroup.

Add a Queue to a Workgroup

This example shows you how to add a queue to the new workgroup you created.

To add a queue to a workgroup

- 1. In the Admin Console, click the Fastpath tab.
- 2. In the Name column of the Workgroup Summary screen, click the name of the workgroup you created.
- 3. In the sidebar pane under Workgroup Settings, click Manage Queues.
- 4. In the Workgroup Queues screen, click Add Queue.

openfire Admir	nistration Console					
Server Users/G	iroups Sessions Group Chat F	Plugins Enterprise Fastpath			Lo	gout [admin]
Workgroups Manager View Workgroups Manage Settings Create Workgroup	Workgroup Queues for on A request queue handles income below.	demo@	members to a	.com a queue, click on an avai	ilable	queue
Workgroup Settings Manage Queues Canned Responses Room Monitors	Add Queue	Agents (active/total)	In Queue	Avg. Wait Time (sec)	Edit	Delete
Offline Settings Transcripts	1. Default Queue	1/2	0	3	2	3
Form UI Form Variables Images Text Settings	Routing Rules Specify which queue to route to	based on the values assigned to t	he form variab	les in the Web Chat Clie	nt.	

The Workgroup Queue Creation screen displays:

openfire Admin	nistration Console			_	
Server Users/0	roups Sessions Group	Chat Plugins Enterprise	Fastpath		Logout [admin]
Workgroups Manager View Workgroups Manage Settings Create Workgroup	Workgroup Queu Use the form below to	e Creation create a new queue in the wo	rkgroup demo@		≡.com.
Workgroup Settings	Create New Queue				
Manage Queues Canned Responses Room Monitors Offline Settings Transcripts Form UI Form Variables Images Text Settings Reports View Previous Chats View Chat Usage	Workgroup Name Of Queue: * Members: Description:	demo@ support Specify a name for the queue. (ex. Comma delimited list of initial memb bob,mary.suzy	product1)	Browse Agents	
Tools Webchat	* Required fields Create Queue	Specify a description for the queue.			

5. Complete the fields as described and then click the Create Queue button. The Workgroup Queues screen displays, showing the newly created queue. Next, you'll add agents and agent groups to your queue.

Add Workgroup Queue Members

In the previous section, you created a new queue for the workgroup you created. In this section, you'll see how to add additional users and user groups.

To add users and user groups

- 1. In the Admin Console, click the Fastpath tab and then, in the Name column of the Workgroups Summary screen, click the name of your workgroup.
- 2. In the sidebar pane under Workgroup Settings, click Manage Queues.

- 3. In the Workgroup Queues screen, click the name of the desired queue. The Manage Queue screen displays.
- 4. Scroll down to the Add Agents section and click the Browse link to the right of the Add Agents box.

openfire Admir	nistration Console
Server Users/G	iroups Sessions Group Chat Plugins Enterprise Fastpath Logout [admin]
Workgroups Manager View Workgroups	Manage Queue - support
Manage Settings	Description:
Create Workgroup Workgroup Settings Manage Queues Canned Responses Room Monitors	Use the form below to add agents and/or groups to this queue. All users specified will be marked as agents that are able to take incoming chat requests to this queue. <u> « Back to list of queues in workgroup.</u>
Offline Settings Transcripts	Queue Settings
Form UI	Offer Timeout: 20 seconds
 Form Variables Images 	Request Timeout: 240 seconds.
Text Settings	Overflow Policy: No Overflow.
Benerite	Edit Settings
View Previous Chats View Chat Usage	Add Agent(s): Add
	Username Remove Click to browse available agents
Tools	Remove
Webchat	Add Groups(s): Add Browse
	Group Remove

The Possible Agents to Add dialog box displays.

Г

5. After selecting the desired users to add, click the Done button.

	Username	Name	Add
	admin	Administrator	Add User
2	betty	Betty Schmetty	Add User
3	demo	Fastpath Demo Account	Add User
ł	gladys	Gladys Kravitz	Add User
5	joe	Joe Schmoe	Add User
5	nate	Nate	Add User

- 6. In the Manage Queue screen, click the Add button to add the users you selected.
- 7. To add Fastpath groups, click the Browse link next to the Add Groups box, select the groups you want from the dialog box, then click the Done button.
- 8. In the Manage Queue screen, click the Add button to add the groups you selected.
- 9. Under Queue Settings, click Edit Settings to edit how you want Fastpath to determine which member is the best choice to receive a request offer.

G Openfire Admi	listration Console	vrice East-aath Logout [admin]
Workgroups Manager View Workgroups Manage Settings Create Workgroup Workgroup Settings Manage Queues Canned Responses	Edit Queue Settings - support The queue name and description helps adminis Edit Agents and Groups View Queues Queue Settings	trators and agents with identifying a particular request queue.
Room Monitors Offline Settings Transcripts Form UI Form Variables Images Text	Name: * support Please specify the name of the queue. support The queue name should be created based on the Queue Routing rules. support Description: Specify a description for this queue to easily identify it.	
Reports View Previous Chats View Chat Usage	Request Timeout: (sec) * 240 The total time before an individual request will timeout if no agents accept it. 240 Offer Timeout: (sec) * 20 The time each agent will be giving to accept a chat request. 20	
Tools Webchat	Queue Overflow Policy: Specify failover for this queue. C Overflo Overflo	w requests w requests to a random queue w requests to a specified queue:
	* Required field. Save Settings	

10. When finished, click the Save Settings button.

Add Workgroup Queue Routing Rules

You can add rules that direct new chat requests to particular queues. This is similar to the way some email programs route a message to particular folders based on the message's content. For example, you might want to ensure that some requests get to the support queue instead of the sales queue.

When you create a routing rule, you are telling Fastpath to examine a particular variable for a particular value. For example, you might set a rule in which the email address given must contain a particular domain name in order for the chat request to be routed to a particular queue.

To add queue routing rules

- 1. In the Admin Console, click the Fastpath tab and then, in the Name column of the Workgroups Summary screen, click the name of your workgroup.
- 2. In the sidebar pane under Workgroup Settings, click Manage Queues.
- 3. In the Workgroup Queues screen, scroll to the Routing Rules part of the screen.
- 4. Under Create New Routing Rule, note that there are two subsections; these are alternate ways to create a rule:
 - Form Field Matcher provides a dropdown that lists all of the variables that Fastpath can query on. This is the simple way to build routing rules. Select the variable you want, then enter the value that should be present in that variable in order for the request to be routed to the queue.
 - Query Builder provides a place where you can create your own query by typing in its syntax. This is an advanced option. The variables you'd enter here are the same as those you can see listed in the Form Variable dropdown. (See Apache's <u>Query Parser Syntax</u> for more information on the Lucene syntax used here.)

5. In the Route to Queue dropdown list, select the queue for which the rule should be used, then click Add.

ports /iew Previous Chats	Order	Query	Routes to Queue	Move	Edit	Delete
/iew Chat Usage			There are no routing rules de	fined for this workgro	up.	
ls	Create N	ew Routing Ru	le			
	C Que	n Field Matche n Variable: qui n Value: jinst ry Builder	estion 🔽			
	Uses follow Pleas	Y- Lucene search syn ing syntax: use <i>mar</i> e refer to the <u>Lucer</u>	tax to search metadata. To search for a me:derek AND question:chat. ne Query Parser Syntax tutorial for prop	a match in the usemame a per syntax.	s well as in a qu	uestion, use the
	Route To	Queue: Defa Defa	ult Queue Add			
		Supp	Selection 2.2.2 huild be lies Selection	and the lociteResition of		

When you have added multiple rules, you can use the up and down arrows in the Move column under Routing Rules to prioritize how rules are evaluated. For example, if you want to ensure that some chat requests get routed to a particular queue because of a value in the email variable — and regardless of the values given in the question variable — you could create a rule that queries on the email variable and move the rule to the top of the list.

Note: You can set the chat request form's user interface fields and hidden variables using the Admin Console. To set these, click the Fastpath tab, then click the name of the workgroup whose form you want to design. To set form fields, under Workgroup Settings click Form UI; for variables, under Workgroup Settings click Form Variables.

View the Summary of Workgroup Activity

The workgroup summary screen shows you how many members are assigned to each workgroup and how many of the total are currently engaged in an active chat session. You can also see the number of queues and agents in the queues.

Workgroup status. "Open" status indicates a member is currently signed in to the workgroup through the Spark client and the workgroup is currently accepting chat requests. "Waiting for member" means the workgroup is not accepting chat requests because no member is available to chat. "Closed" means the workgroup is not accepting chat requests.

To view the workgroup activity summary:

• In the Admin Console, click the Fastpath tab. The Workgroup Summary screen displays.

Openfire Admir	nistration Console Groups Sessions Group (Chat Plugins Enterori	e Fastpath			Lo	gout [admin]
Workgroups Manager View Workgroups Manage Settings Create Workgroup Reports	Workgroup Summary Below is the list of workgroups in the system. A workgroup is an alias for contacting a group of members and is made up of one or more queues. Total Workgroups: 2.						
View Previous Chats	Name	Status	Members (Active/Total)	Queues	Users in Queues	Edit	Delete
view char usage	1. demo Demo workgroup	Open	2/3	2	0	2	0
Tools Webchat	2. <u>openfiresupport</u> Openfire Support	O Waiting for member	<u>1/2</u>	2	0	2	0

Open or Close a Workgroup Manually

Suppose your support center is closed for the day and you want to prevent new requests from being received, but you don't want to shut out the customers who are already in the workgroup queue or are being helped by a workgroup member. You can manually close the workgroup to new requests.

To manually close a workgroup to new requests

- 1. In the Admin Console, click the Fastpath tab.
- 2. In the Workgroup Summary screen, click the name of the workgroup.
- 3. Under Workgroup Settings, click Settings.
- 4. To close the workgroup, in the Current Status row, click the Close button. The button changes to read "Enable" and the green dot icon indicating an open status changes to red.

openfire Admi	nistration Console	
Server Users/0	Groups Sessions Group Cha	t Plugins Enterprise Fastpath Logout [admi
Workgroups Manager View Workgroups Manage Settings Create Workgroup	Workgroup Settings Below are the general setting	For openfiresupport@com
Workgroup Settings Manage Queues Canned Responses Room Monitors Offline Settings Transcripts Form UI Form Variables Images Text	Workgroup Details	
	Current Status	Workgroup is currently closed. Enable
	Display Name	openfiresupport
	Description	Openfire Support
Settings	Chat Request Settings	

5. To open the workgroup, click the Enable button.

Set Workgroup Email Transcript Properties

The system will occasionally need to send emails of session transcripts to webchat client users. You'll need to set up a workgroup email account to make this possible.

To set up email transcript capability for a workgroup

- 1. In the Admin Console, click the Fastpath tab; then, in the Workgroups Summary screen, click the name of the workgroup for which you want to set up email.
- 2. In the sidebar pane under Workgroup Settings, click Transcripts. The Transcript Settings screen displays.

openfire Admi	nistration Console			
Server Users/	Groups Sessions Gro	oup Chat Plugins Enterprise Fastpath	Logout [admin]	
Workgroups Manager View Workgroups Manage Settings Create Workgroup Workgroup Settings	Transcript Sett	ings for openfiresupport@com		
Manage Queues Canned Responses	Conversation Transcript Configuration			
Room Monitors Offline Settings	From:	Specify who the transcript is from, such as ACME Company.		
Form UI Form Variables	Email Address:	Specify the email address the message will be from. Ex. support@acme.com		
Images Text Settings	Subject:	The subject that will appear to the user.		
	Message:			
Reports View Previous Chats View Chat Usage		Text to prepend to the transcript being sent.		
	Save Changes			

3. Type in email account information for the workgroup in the fields provided, including subject and message. When finished, click the Save Changes button.

Note: SMTP settings are controlled under Email Settings in the Server tab of the Admin Console. For more information, refer to the Admin Console online Help.

Set Workgroup Offline Properties

Use the workgroup offline settings to display a message to users when the workgroup is closed.

Note: You must have an email server defined for Openfire in order for your offline message settings to work. To define the server, in the Admin Console go to Server > Email Settings.

To set offline properties for a workgroup

- 1. In the Admin Console, click the Fastpath tab; then, in the Workgroup Summary screen, click the name of the workgroup.
- 2. In the sidebar pane under Workgroup Settings, click Offline Settings. The Workgroup Offline screen displays.

openfire Admir	istration Console		
Server Users/G	iroups Sessions Group Chat Plug	ins Enterprise Fastpath	Logout [admin]
Workgroups Manager View Workgroups Manage Settings Create Workgroup Workgroup Settings • Manage Queues • Canned Responses • Room Monitors • Offline Settings • Transcripts • Form UI • Form Variables • Images • Text • Settings Reports View Previous Chats View Chat Usage	Offline Settings for openfire Specify action to take when this wo Offline Workgroup Action C Redirect To Web Page C Display Email Form Email Address: Subject: Offline Text: Save Changes	esupport@	

3. Type in the offline message information and then click the Save Changes button.

WikiSuite: The most comprehensive and integrated Open Source enterprise solution.

Related links

- https://www.igniterealtime.org/projects/openfire/plugins/fastpath/readme.html
- Source code
 - https://github.com/igniterealtime/Openfire/tree/master/src/plugins/fastpath
 - https://github.com/igniterealtime/Fastpath-webchat