

Cyrus IMAP 3 and JMAP development

Please see: [blogpost16-WikiSuite-will-now-support-all-major-Linux-distros](#). While [ClearOS](#)'s mail stack is powered by [Cyrus IMAP](#), [Virtualmin](#)'s mail stack is with Dovecot, so we will focus on efforts there. This page is kept for posterity.

WikiSuite will add support for [JMAP](#) via a combination of contributions to [Cyrus](#), [Cypht](#) and the [IETF standardization process](#).

[Cyrus 3.2](#) with [JMAP](#) support is planned for March 2020.

On July 14 and 15, 2018, WikiSuite team members were at the [July 2018 JMAP IETF Hackathon in Montréal](#), which was a follow-up to the March 17 and 18, 2018 event, where WikiSuite team members joined [Fastmail](#) at the [IETF 101 Hackathon](#) to work on JMAP. -> [2018 XMPP, WebRTC and JMAP Hackathons in London](#)

As of 2019, the reference implementation is on ClearOS, but the future production implementation will be using containers.

ClearOS's 7.x's mail server is Cyrus IMAP 2.x This page is to coordinate testing of upcoming Cyrus IMAP 3.x, which brings new features such as [CalDAV](#), [CardDAV](#) and [JMAP support](#).

Status

A lot of work is happening on the [JMAP](#) spec and associated code. We'll update [cyrus.suite.wiki](#) in ~~November or December 2017~~ [January February 2018](#) before the event to the latest developer snapshot.

Keep informed of JMAP-related work on Cyrus

- [issues related to JMAP on Github](#)
- Weekly updates on the [Cyrus-devel Mailing list](#)

Code

- <https://github.com/cyrusimap/cyrus-imapd> (Cyrus)
- <https://gitlab.com/clearos/upstream/centos/cyrus-imapd/tree/clear7> (Cyrus 2.x app for ClearOS)
- <https://gitlab.com/clearos/clearfoundation/app-smtp> (Postfix app for ClearOS)

Commits

JMAP spec

Recent Commits to jmap:master

- [Update calendars to v23](#)
- [Update references to JSCalendar to bis draft](#)
- [calendars: Sharing now has an RFC number](#)
- [Remove scheduleAgent](#)
- [Define Participant.schedule* properties](#)
- [recurrenceRule is now singular](#)
- [Add description of iTIP events to send](#)
- [Revised wording for CalendarEventNotification](#)
- [Snoozed alerts should use the "snooze" relation](#)
- [Remove calendarAddress definition](#)

Recent Commits to cyrus-imapd:master

- [Merge pull request #5499 from dilyanpalauzov/http_cal_abook_admin_js_...](#)
- [Merge pull request #5500 from elliefm/v313/ubuntu-fixes](#)
- [Merge pull request #5505 from ksmurchison/test_cmd_id_nil_cant_unget](#)
- [ID.pm: better test checking parsing of NIL on prot buffer boundary](#)
- [cunit/ical_support: verify the last byte of http_cal_abook_admin.js is 0](#)
- [SearchFuzzy: use get_bool for boolean config options](#)
- [ALPN: update alpn_fail_pattern](#)
- [Merge pull request #5504 from rsto/cyr-1960-email-query-findallinthre...](#)
- [hashu64.c: gracefully handle lookups in zero-sized table](#)
- [jmap_mail.c: cache thread list irrespective if findAllInThread is set](#)

What is new in Cyrus 3.x

- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.0.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.1.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.2.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.3.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.4.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.5.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.6.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.7.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.8.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.9.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.10.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.11.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.12.html>
- <https://www.cyrusimap.org/imap/download/release-notes/3.0/x/3.0.13.html>

cyrus.suite.wiki

cyrus.suite.wiki is a shared development and testing server. Once the testing period is over, the server will be deleted so don't store any real data on this server. If you would like server access, please contact Marc Laporte

Urls

You can replace **test** with your login and follow the pattern below

User management

<https://cyrus.suite.wiki:81/app/users> (you need root access). And users need to login via IMAP for their account to be properly set up.

CalDAV

<https://cyrus.suite.wiki/dav/calendars/user/test>

CardDAV

<https://cyrus.suite.wiki/dav/addressbooks/user/test/>

RSS

<https://cyrus.suite.wiki/rss/user/test>

IMAP and SMTP

IMAP

port 143
server: cyrus.suite.wiki
username: login (not full email)

SMTP

port: 25?
server: cyrus.suite.wiki
username: login (not full email)
not working for me

IMAPS

SSL
port 993
server: cyrus.suite.wiki
username: login (not full email)
not working for me

SMTPS

SSL
port: 587
server: cyrus.suite.wiki
username: login (not full email)
not working for me

JMAP webmail

Test URLs, automatically logged in, as a different user:

- <http://cyrus.suite.wiki:8080/> (test inbox provided by upstream)
- <http://cyrus.suite.wiki:8080/user-nikola.html>
- <http://cyrus.suite.wiki:8080/user-test.html>

Old non-working attempt

[+]

Confirmation that JMAP is working



```
[root@cyrus ~]# curl -X POST -H "Content-Type: application/json" -H "Accept: application/json"
--user test:wikisuite -d '[[{"getCalendars", {}, "#1"}]]' http://localhost/jmap/
[{"calendars",{"accountId":"test","state":"15","list":[{"id":"Default","x-
href":"/dav/calendars/user/test/Default","name":"personal","mayReadFreeBusy":true,"mayReadItem
s":true,"mayAddItems":true,"mayModifyItems":true,"mayRemoveItems":true,"mayRename":true,"mayDe
lete":true}],"notFound":null},"#1"]]}
[root@cyrus ~]#
```



```
[root@cyrus ~]# curl -X POST -H "Content-Type: application/json" -H "Accept: application/json"
--user test:wikisuite -d '[[{"getMailboxes", {}, "#0"}]]' http://localhost/jmap/
[{"mailboxes",{"accountId":"test","state":"23","notFound":null,"list":[{"id":"23b8b283-54b2-49
53-83b1-
dddfdf50d1ab","name":"Inbox","mustBeOnlyMailbox":false,"mayReadItems":true,"mayAddItems":true,
"mayRemoveItems":true,"mayCreateChild":true,"totalMessages":1,"unreadMessages":0,"totalThreads
":1,"unreadThreads":0,"parentId":null,"mayRename":false,"mayDelete":false,"role":"inbox","sort
Order":1},{id":"5e8d9e35-76a6-4a54-9bb4-
e8625f908670","name":"Drafts","mustBeOnlyMailbox":false,"mayReadItems":true,"mayAddItems":true
,"mayRemoveItems":true,"mayCreateChild":true,"totalMessages":1,"unreadMessages":1,"totalThre
ads":1,"unreadThreads":0,"parentId":null,"mayRename":true,"mayDelete":true,"role":null,"sortOr
der":10},{id":"3334d6fb-
f621-4b7b-9634-93eb193023d2","name":"Trash","mustBeOnlyMailbox":false,"mayReadItems":true,"may
AddItems":true,"mayRemoveItems":true,"mayCreateChild":true,"totalMessages":0,"unreadMessages":
0,"totalThreads":0,"unreadThreads":0,"parentId":null,"mayRename":true,"mayDelete":true,"role":
null,"sortOrder":10}]},"#0"}]]
[root@cyrus ~]#
```

Notes for future documentation page

How to install

1. Set up MX records
2. install the eGloo release package: `rpm -Uvh`
http://mirrors.egloo.ca/egloo/clearos/7.3/stable/x86_64/egloo-release-7-2.noarch.rpm
 - This will be simpler in the future
3. Then install the IMAP and SMTP apps:



```
yum --enablerepo=egloo-clearos-devel install app-imap app-smtp
```

4. You will also need to do the following:
 - Create the default SSL certificate via the “System - Settings - Certificate Manager” app.
 - Create a user with IMAP and SMTP enabled.
 - Login via an IMAP client in order to create a mailbox for the user.

Optional: How to install Mail Forwarding on ClearOS

How to use

- The extra features (CalDAV, CardDAV and JMAP) run on port 80 and/or 443, so Cyrus IMAP interferes with web server. On this dev server, we use port 8080 for the JMAP client
- See URLs patterns above

Clients tested

DAVdroid

Automatic detection from email doesn't work but entering username, password and base URL works

Questions

- Is it possible to have a logout feature? (which would make it easier to test with different accounts)

Known bugs / limitations

Accounts created in ClearOS are not reliably setup for CalDAV and CardDAV.

Solution: login to the account via IMAP.

For developers

- <https://github.com/cyrusimap/cyrus-imapd/blob/master/docsrc/imap/developer/jmap.rst>
- <https://www.cyrusimap.org/imap/developer/jmap.html>
- <https://medium.com/linagora-engineering/you-cant-do-imap-in-the-browser-can-you-208838b0ba17>
- <http://jmap.io/server.html>
- [Cyrus release process - switching to odd-even release cycle](#): "3.1.x releases will only ever be snapshots of the master branch, and should be considered for testing purposes and bleeding-edge features only. We will try to release these snapshots at coherent development points, but there will generally be large breaking changes occurring between releases in this series. At some point in the distant future, the next stable release series will be 3.2, which will aim to include the stabilised versions of the features developed/tested in the 3.1 releases."
- <https://github.com/r00tat/cyrup>